

72

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	511	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L2	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L3	7	("2253089" "3045278" "4154592" "4572486" "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 10:08
L4	2	("5931984").URPN.	USPAT	OR	OFF	2006/01/13 10:08
L5	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L6	113	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L7	60	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L8	48	(L5 or L6 or L7) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L9	10	(L5 or L6 or L7) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L10	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08

L11	10	(L5 or L6 or L7) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L12	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L13	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L14	28	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L15	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L16	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L17	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L18	113	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L19	60	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L20	10	(L17 or L18 or L19) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08

L21	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L22	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L23	7	("2253089" "3045278" "4154592" "4572486" "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 10:08
L24	2	("5931984").URPN.	USPAT	OR	OFF	2006/01/13 10:08
L25	48	(L17 or L18 or L19) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L26	10	(L17 or L18 or L19) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L27	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L28	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L29	28	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L30	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L31	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08

L32	511	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L33	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L34	113	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L35	60	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L36	10	(L17 or L18 or L19) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L37	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L38	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L39	7	("2253089" "3045278" "4154592" "4572486" "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 10:08
L40	2	("5931984").URPN.	USPAT	OR	OFF	2006/01/13 10:08
L41	48	(L17 or L18 or L19) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L42	10	(L17 or L18 or L19) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08

L43	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L44	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L45	28	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L46	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L47	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L48	511	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:08
L49	14	"6354479"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 10:08
L50	77	"5421503"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 10:08
S1	496	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 10:39
S2	122	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:33
S3	7	("2253089" "3045278" "4154592" "4572486" "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 09:50
S4	2	("5931984").URPN.	USPAT	OR	OFF	2004/12/03 10:57

S5	50	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:22
S6	108	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:22
S7	58	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:22
S8	45	(S5 or S6 or S7) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:33
S9	10	(S5 or S6 or S7) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:36
S10	41	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:36
S11	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:34
S12	10	(S5 or S6 or S7) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:36
S13	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 16:17
S14	28	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 16:40

S15	2	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 16:40
S16	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 16:40
S17	504	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S18	124	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S19	7	("2253089" "3045278" "4154592" "4572486" "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/01 12:31
S20	2	("5931984").URPN.	USPAT	OR	OFF	2005/08/01 12:31
S21	50	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S22	108	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S23	58	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S24	45	(S21 or S22 or S23) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S25	10	(S21 or S22 or S23) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31

S26	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S27	10	(S21 or S22 or S23) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S28	42	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S29	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S30	28	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S31	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S32	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
S33	504	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S34	124	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S35	7	("2253089" "3045278" "4154592" "4572486" "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/01 12:36
S36	2	("5931984").URPN.	USPAT	OR	OFF	2005/08/01 12:36

S37	50	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S38	108	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S39	58	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S40	45	(S21 or S22 or S23) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S41	10	(S21 or S22 or S23) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S42	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S43	10	(S21 or S22 or S23) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S44	42	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S45	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S46	28	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36

S47	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S48	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S49	14	"6354479"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 09:51
S50	77	"5421503"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 09:51